

Guide to Installing the MCAS Student Kiosk and **Conducting Site Readiness**

2025 MCAS Test Administrations Updated February 20, 2025



This document was prepared by the Massachusetts Department of Elementary and Secondary Education Russell D. Johnston, Acting Commissioner

The Massachusetts Department of Elementary and Secondary Education, an affirmative action employer, is committed to ensuring that all of its programs and facilities are accessible to all members of the public. We do not discriminate on the basis of age, color, disability, national origin, race, religion, sex, gender identity, or sexual orientation. Inquiries regarding the Department's compliance with Title IX and other civil rights laws may be directed to the Human Resources Director, 135 Santilli Highway, Everett, MA 02149. Phone: 781-338-6105.

© 2024 Massachusetts Department of Elementary and Secondary Education Permission is hereby granted to copy any or all parts of this document for non-commercial educational purposes. Please credit the "Massachusetts Department of Elementary and Secondary Education."

Massachusetts Department of Elementary and Secondary Education 135 Santilli Highway, Everett, MA 02149 Phone 781-338-3000 TTY: N.E.T. Relay 800-439-2370 www.doe.mass.edu



Important Contact Information and Resources

Contact:	MCAS Service Center				
For questions on:	 general test administration support MCAS Portal and MCAS Student Kiosk such as user accounts technology support and readiness student registration process and loading files viewing student data scheduling tests locating resources shipments of materials 				
Hours:	7:00 a.m.–5:00 p.m., Monday–Friday				
Web:	mcas.onlinehelp.cognia.org				
Email:	mcas@cognia.org				
Telephone:	800-737-5103 TTY: 888-222-1671				

Contact:	DESE Office of Student Assessment Services
For questions on:	 policy, such as assigning accessibility features and accommodations student participation testing irregularities, including test security incidents and technology failures reactivating tests for CBT student data and SIMS (See note below regarding SIMS.)
	Questions regarding SIMS data should be directed to the district's SIMS contact (go to
	profiles.doe.mass.edu/search/search.aspx?leftNavID=11239, select SIMS
	Contact from the Function menu, and click Get Results).
Hours:	8:00 a.m.–5:00 p.m., Monday–Friday during test administration windows Between 7:00 a.m. and 8:00 a.m. during the test administration windows,
	MCAS Service Center representatives will receive calls to 781-338-3625,
	answer questions regarding logistics, and take messages for Department staff,
	which will be returned during our regular business hours.
Web:	www.doe.mass.edu/mcas/admin.html
Email:	mcas@mass.gov
Telephone:	781-338-3625

Table of Contents

I. Introduction	1
A. Technology Overview	1
B. Overview of Steps for Technology Coordinators	1
II. Technology Setup	2
A. Network Connectivity	2
B. Bandwidth	3
C. Thin-Client Environments	3
D. Monitor Settings	4
III. MCAS Student Kiosk Installation	4
A. ChromeOS Application Installation	4
B. iPadOS Application Installation	14
C. Linux	16
D. Mac OS	20
E. Windows OS	27
IV. Site Readiness Testing and Site Certification	32
A. Purpose	32
B. Using the Site Readiness Tool	33
C. Site Certification	40

I. Introduction

This document is intended for technology staff responsible for setting up the MCAS computerbased testing technology.

Beginning in 2025, MCAS computer-based testing will use the following components:

- the **MCAS Portal**, the test administration and management website for district test coordinators, technology coordinators, principals/school test coordinators, test administrators, and other staff as needed
- the MCAS Training Site, where test coordinators, principals, technology coordinators, and test administrators can practice the tasks required in the MCAS Portal
- the MCAS Student Kiosk, the student testing platform

This document contains instructions for installing the MCAS Student Kiosk and conducting Site Readiness testing on student devices used for computer-based testing.

For more information on working with the MCAS Portal, see the *Guide to the MCAS Portal*, which will be available in the <u>MCAS Resource Center</u> in late fall 2024.

A. Technology Overview

The MCAS Student Kiosk is used by students for secure online testing. The kiosk restricts access to other computer applications during testing and is a cross-platform application. The kiosk runs on Windows®, Mac®, and Linux® operating systems, iPad® tablets, and Chromebook™ notebook computers.

Information on using third-party accessibility or accommodations software with the kiosk can be found in the *Guidelines for using Assistive Technology with MCAS*, which is available in the <u>MCAS</u> <u>Resource Center</u>.

B. Overview of Steps for Technology Coordinators

The MCAS Student Kiosk is installed and set up by a Technology Coordinator (TC). District Test Coordinators (DTC) and School Test Coordinators (STC) can also perform these tasks.

After your DTC or STC has set up your TC account, you will receive your user account information via email. If you have not received your account information with your login credentials, contact your DTC or STC.

Follow the steps below to install and set up the MCAS Student Kiosk for your school. Further information on each step is provided in subsequent sections.

- 1. Review the *Technology Guidelines for MCAS Computer-Based Testing* available on the <u>MCAS Resource Center</u>, to ensure that you have the correct devices and equipment for student testing.
- 2. Configure your network to support student testing on the kiosk by following the instructions in section II: Technology Setup.
- 3. Download and install the appropriate MCAS Student Kiosk to each student testing device by following the instructions in Part III: MCAS Student Kiosk Installation below:
 - <u>ChromeOS application</u>
 - iPadOS application

- <u>Linux</u>
- <u>MacOS</u>
- <u>Windows</u>
- 4. Complete <u>Site Readiness</u>, using the Site Readiness tool, indicating that the school's devices and technology are ready for testing. All schools should complete Site Readiness to confirm that the school's technology infrastructure has been set up correctly and that testing devices meet minimum requirements and have been properly configured.

Note: To ensure that the school technology setup is ready for MCAS testing, we recommend that you run the Site Readiness tool directly after installing the kiosk on the testing devices, and no later than two weeks prior to testing. When all the configurations that will be used for student testing are ready, <u>certify</u> that the site is ready for student testing.

Contact the MCAS Service Center with any questions about technology guidelines, downloading the MCAS Student Kiosk, and the Site Readiness tool.

II. Technology Setup

A. Network Connectivity

All student testing devices used for student testing should have access to the internet and be able to access the server using HTTP/HTTPS protocols on ports 80 and 443.

Allow the following sites on ports 80 and 443 in content filtering proxies or other locally used proxy software.

- https://mcas.cognia.org
- https://mcas-training.cognia.org
- https://mcas-practicetest.cognia.org
- fonts.googleapis.com/
- themes.googleusercontent.com/
- googleusercontent.com/
- https://cognito-identity.us-west-2.amazonaws.com
- https://cognito-identity.us-east-1.amazonaws.com
- https://eventsapi.emetric.net/maprod/router
- app.getsentry.com
- dc.services.visualstudio.com
- az416426.vo.msecnd.net

If you are working with sandboxing applications, complete one of the following steps while installing the kiosk, and contact the MCAS Service Center with questions:

- Choose a network folder location for local caching.
- Make sure the default location, such as C:\Users\user\AppData\Local\eMetric (%localappdata%/emetric), and its contents are not deleted by the sandboxing applications.

Note: Student testing data, including encrypted responses, will be saved to the indicated location only if the network connection or internet connection is lost during the test. Students will be able to continue testing without interruption, but their testing data will be saved in the indicated folder.

A note about OneDrive:

OneDrive notifications may interfere with the kiosk and student test taking experience. If OneDrive attempts to steal the screen's focus during testing, the Kiosk will display a white screen. The student will then have to click anywhere on the white screen to regain focus in the kiosk, once clicked they will be able to resume testing where they left off. To prevent this, schools should use one of the following approaches:

- 1. If OneDrive is not needed or used on student devices, schools are recommended to disable OneDrive during student testing.
- 2. If OneDrive cannot be disabled, please take necessary steps to prevent any administrative actions, including file sharing or synchronization and administration updates to OneDrive settings, that would trigger a OneDrive notification during student testing.

B. Bandwidth

The ability of a school's network to support a given number of online testers is a function of the available bandwidth between the student's test device and the data center serving the test content, the number of students who will be downloading tests, and the size of the test content. The Site Readiness tool's Connection Capacity Test will measure the bandwidth between a student's test device and the data center and determine the number of tests that can be downloaded at the school simultaneously. Use the results of this test to gauge the impact your bandwidth will have on student testing.

Schools with low internet bandwidth (i.e., an internet download speed of less than 1.5 Mbps or an internet upload speed of less than 256 Kbps) should stagger student start times by 1-2 minutes to reduce the likelihood of interruptions.

C. Thin-Client Environments

When using thin-client environments, such as Terminal Services, Citrix, or LTSP, make sure that there is enough memory, CPU, and bandwidth on the server to accommodate multiple student test sessions. The application requires a minimum of 80 MB of memory per client session and performance can vary depending on the size and type of the test. Allowing multiple sessions on an improperly sized thin-client environment will result in poor performance.

Additionally, schools using thin-clients need to be cautious when there is 1 GB or less of physical memory on the student testing device. In this case, a local installation is strongly recommended. As a rule, if you can use the Chrome[™] browser to access web-based email or web-based streaming services on all student testing devices simultaneously, then testing should go well.

In thin-client environments, the accounts students use to log in to the student testing devices (not the MCAS test login) must be unique for each student. Also, each account must have its own dedicated user profile.

For assistance, contact the MCAS Service Center at mcas@cognia.org or 800-737-5103.

D. Monitor Settings

Ensure that all monitors used for testing are set to the default color settings. If a student will use the zoom in/out tool, review the recommended screen resolutions in Table 1 below:

Table 1. Monitor Settings

Required Zoom Level for Student	Recommended Screen Resolution
100% (No Zoom)	1024 x 768 (or Higher)
150%	1920 x 1080 (or Higher)
200%	1920 x 1080 (or Higher)
300%	1920 x 1080 (or Higher)

Note: These are only recommended screen resolutions. Use the screen resolution the student is most comfortable with. The student or test administrator may set the zoom level within the MCAS Student Kiosk when the student logs in at the time of testing.

III. MCAS Student Kiosk Installation

A. ChromeOS Application Installation

Managed Chromebooks

These instructions are for technology coordinators who have access to the Chromebook device management console to administer and manage their Chromebook devices.

Note: If you do not have a dedicated TC, a DTC or STC can complete all the technology coordinator tasks. Ensure you have the correct administrative rights to make changes to student testing devices.

Step 1: Set up your school technology

Review section II: <u>Technology Setup</u> in detail.

Step 2: Install the MCAS Chrome app

To install the MCAS Chrome app:

1. As the Chromebook administrator, log in to your ChromeOS management console (<u>https://admin.google.com</u>).

2. Expand the **Devices** menu, and then select **Chrome**.



3. Click on Settings.

= 🔿 Admin	Q Search for users, groups o	r settings
- Devices	Devices > Chrome > Settings	
Overview		
	Settings	(<)
Setup guide		\sim
Devices	Users	~
Enrollment tokens	Groups	~
Managed browsers	Organizational Units	~
Settings		
Apps & extensions	Search for organizational units	_
Connectors	✓ emetric.net	
Printers	▶ child.emetric.net	
 Reports 		
Mobile & endpoints		
Networks		

4. Click on the **Device Settings** tab and scroll to **User Data** in the **Sign-In Settings** section.

= (Admin ۹	Search for use	rs, groups or settings			φB	?	G
Â	Devices > Chrome > Settings							
2	Settings	< s	User & browser settings	Device settin	ngs N	lanaged guest sess	ion settings Recent cha	anges
*	Organizational Units	^	Sign-in settings 🛈	Configuration	Inheritance	Supported or	1	
@	emetric.net		Sign-in screen	Always show user names and photos	Locally applied	🗖 🌀 🗡	i05	_
	 child.emetric.net 		Device off hours	Edit in legacy view 🛛	Locally applied	🗖 🌀 🔺	i05	
			Device wallpaper image		Locally applied	D () X	i05	
		_	User data	Do not erase local user data	Locally applied	🗖 🎯 🗷	i05	
			Single sign-on IdP redirection	Take users to the default Google sign-in screen	Locally applied	— () —	105	

5. Verify that **Do not erase all local data** is set; if not, click on **User Data** to update the setting with the drop-down menu and click **Save**.

Setting	Configuration	Inheritance	Supported on
Device off hours	Edit in legacy view 🗗	Locally applied	🛄 🌍 🛣 i05
Device wallpaper image		Locally applied	🛄 🌀 🛣 i05
User data	Do not erase local user data	Locally applied	🛄 🌀 🛣 i05

Devices > Chrome > Settings > Device > User data									
User data Specifies whether enrolled ChromeOS devices delete all locally-stored settings and user data every tim a user signs out. Data the device synchronizes persists in the cloud but not on the device itself. If you set it to Erase all local user data , the storage available to the users is limited to half the RAM capacity the device. If the policy is set together with a managed guest session, it wont cache the session name									
Organizational Units 🔨 🔨	or avatar.								
Search for organizational un	Search for organizational un Note: By default, ChromeOS devices encrypt all user data and automatically clean up disk space when shared by multiple users. This default behavior works best for most deployments and ensures data security and an optimal user experience. We recommend you enable Erase all local user data rarely an								
 child.emetric.net 	Chromium name DeviceEphemeralUsersEnabled 🛛	Supported on ChromeOS since version 19							
	Inheritance	Locally applied 💌							
	Configuration	Erase all local user info, settings, and state after each sign-out							
		Do not erase local user data 🔻							
	Save								

Note: This setting is crucial to allow Chrome local storage to be used to store student responses if network connectivity is lost. If this is not configured, student responses will not be saved to the device in the case of internet disruptions.

6. While still in the Device Settings tab, scroll to the **Kiosk Floating Accessibility Menu** in the **Kiosk Accessibility** section.

= (Admin	Q Search for use	ers, groups or settings			ф Z 🤊 🏭 G
$\hat{\mathbf{O}}$	Devices > Chrome > Setti	ngs				
۵ 	Settings	< <u>(</u>	User & browser settings Show: All + Search or a	Device setti	ings Ma	naged guest session settings
+	Organizational Units	^	Kiosk accessibility 🛈			
	Search for organizationa	l units	Setting	Configuration	Inheritance	Supported on
0	 emetric.net child.emetric.net 	et	Kiosk floating accessibility menu	Do not show the floating accessibility menu in kiosk mode	Locally applied	🔲 🎯 🚈 ios
			Kiosk spoken feedback	Allow the user to decide	Google default	🛄 🌀 🚈 i05
			Kiosk select to speak	Allow the user to decide	Google default	🖵 🎯 🚈 i05
			Kiosk high contrast	Allow the user to decide	Google default	🛄 🌀 🗻 i05

7. Verify that **Do not show the floating accessibility menu in kiosk mode** is set; if not, click on **Kiosk Floating Accessibility Menu** to update the setting with the drop-down menu and click **Save**.

Kiosk floating accessibility menu	By default, the accessibility menu is hid the floating accessibility menu in kiosi menu appears at the bottom right corn components, such as buttons, users ca Even if Do not show the floating access accessibility features using shortcuts-	dden on devices running Chrome kiosk apps. If you choose Show k mode , the accessibility menu is always visible on devices. The er of the screen. To prevent the menu from blocking app an move it to any screen corner. sibility menu in kiosk mode is selected, users can still enable as long as you have not used the Admin console to turn off the					
Organizational Units 🔨 🔨	individual accessibility setting and a shortcut exists for it. For details, see <u>Chromebook keyboard</u> shortcuts.						
 Search for organizational units emetric.net child.emetric.net 	Note: Ordinarily, the Shift + Alt + L shor on devices running Chrome kiosk apps Chromium name FloatingAccessibilityMenuEnabled [2] Inheritance	tcuts focus on the launcher button and items on the shelf. However, , they focus on the accessibility menu instead. Supported on ChromeOS since version 84					
	Configuration	Do not show the floating accessibility menu in kiosk mode \checkmark					
	Save						

Note: Students with accommodations that are embedded within the MCAS Student Kiosk, including text-to-speech, word prediction, and speech-to-text, will access these accommodations directly through the MCAS Student Kiosk as they are delivered by the test platform. ChromeOS contains native accessibility features that may appear within the kiosk with a floating menu. Technology coordinators should disable the floating accessibility menu in Google Admin before testing occurs to avoid issues.

8. On the Settings page, select the **Managed guest session settings** tab and then select Managed guest session:

=	Admin Q Se	arch for	users, groups or setting	gs		Ų	Χ	?		G
Â	Devices > Chrome > Settings									
۵ ۲	Settings	<	User & browser settings Show: All + Search	Device	e settings M	anaged gue	st sess	ion sett Recent d	ings :hange	s
	Organizational Units			Learn more 🗗 abo	ut managed guest session	S				
	Search for organizational units	2	General							
@	✓ emetric.net		Setting	Configuration	Inheritance	Supp	oorted o	n		
	▶ child.emetric.net		Managed guest session	5 sub settings	Locally applied		9 2	i 05		
		1	Maximum user session length		Locally applied		9 🗡	i 05		
			Custom terms of service		Locally applied		9 a	i 05		

9. Ensure that Managed guest session is set to **Do not allow managed guest sessions** and click **Save**.

Devices > Chrome > Settings >	Manag	ed guest sessions > Man	naged guest session					
Managed guest session	<	Session name to appear on login screen The name that you want your users to see for the session. The settings below are only available for managed guest sessions that automatically launch on ChromeOS devices.						
Organizational Units	^							
Search for organizational units	-	Inheritance	Locally applied 🔻	More 🗡				
 child.emetric.net 		Configuration	Do not allow managed guest sessions 👻]				
		Save						

10. On the Settings page, select **User & browser settings** tab and then select **Allow Native Client (NaCl)**.

=	🔿 Admin	Q Sea	rch for	users, groups or settin	gs			Ļ	8	?	***	G
Â	Devices > Chrome > Settings											
	Settings	<		User & browser settings	Device sett	ings	Manage	d gues	et sess	ion sett	ings change	5
*	Users	~	\$	Content								
	Groups	~		Setting	Configuration	Inheritance		Supp	orted o	n		
0	Organizational Units	^ its		Allow Native Client (NaCl)	Allow Native Client to run even if it is disabled by default	Locally applied			9 🛎	i05		
	 ✓ emetric.net 			Shopping list	Enable the shopping list feature	Google default			9 ×	i05		
	 child.emetric.net 			Google Calendar Integration	Enable Google Calendar Integration	Google default			9 ×	i05		

11. Ensure that **Allow Native Client to run even if it is disabled by default** is selected and click **Save**.

Allow Native Client (NaCl)	<	Native Client is deprecated in Chro using your legacy code. You can choose to allow the Native default behavior.	me. If you have tools that rely on Native Client, this policy allows you to keep Client to run even if it is disabled by default or you can choose to use the
roups	~ ~	Chromium name NativeClientForceAllowed 2	Supported on ChromeOS since version 116 Chrome (Windows, Mac, Linux) versions 116-119
rganizational Units	^	Inheritance	Locally applied 🔻
earch for organizational units	5	Configuration	Allow Native Client to run even if it is disabled by default $ extsf{-}$
child.emetric.net			

12. Navigate back to the **Chrome** menu on the left side of the screen and select **Apps & Extensions** and then **Kiosks**.

= 🔿 Admin	Q Search for users, groups or set	ings		¢ 8 ⊘ ≣ G
Home	Devices > Chrome > Apps & extension	S		
 ▶ △ Directory ↓ □ Devices 	Apps & Extensions	Overview Users & browsers	Kiosks Managed gue	st sessions Requests
Overview	Organizational Units	Арр	Installation policy	Version pinning
Setup guide Devices	Search for organizational units	Auto-launch app	None Locally applied	
Enrollment tokens	✓ emetric.net	eMetric Assessments	Not installed	
Managed browsers Settings	P child.effectio.net	C Contraction of the State	Installed	Not pinned
Apps & extensions		COLUMN STATE	Not installed	
Connectors Printers				
▶ Reports				
Networks				
 Happs Generative Al 		Rows per page: 10 -	14	Page 3 of 3 < >

13. Expand the yellow + in the bottom-right corner and select **Add Chrome app or extension by ID**.



14. To add the MCAS app, enter the MCAS Chrome app ID **ahfjpfgbimfngkdfhibipbbjdnffkhng** in the **Extension ID** text box and select **Save**.

Chrome apps and exte	ensions can also be	added by specifyin	g the ID. I	f it is outs	ide the
Chrome Web Store, yo	u must also specif	y the URL where the	extensio	n is hosted	1.
Extension ID					
ahfjpfgbimfngkdfhil	bipbbjdnffkhng				
From the Chrome Web	Store 💌				

15. MCAS appears in the Kiosks list, and the app settings are displayed.

Apps & Extensions		Overview Users & browsers	Kiosks	Managed guest sessions	Re	quests	
Apps & Extensions	(+ Search or add a filter		MCAS	Î	ſ <u>↑</u>	×
Organizational Units	^	Арр	Installation policy	Installation policy			
Search for organizational units		Auto-launch app	None 🔻	Installed Locally added			
child.emetric.net		dese MICAS ahfjpfgbimfngkdfhibipbbjdnffkhng	Installed	Version pinning			
				Not pinned			
				Kiosk Settings			
				Allow App to Manage Power Inherited from Google default			
				Enable Unified Desktop (BETA) Inherited from Google default			
				Allow On-screen Keyboard Inherited from Google default			•
				Enable Plug-ins Inherited from Google default			•
				Set Keyboard Top Row as FN Keys Inherited from Google default			
						+	
		Rows per page: 10 👻 🛛 K Page	1 of 3 < >			-	

When these steps are completed, the MCAS application will appear on all Chromebook devices that are in your domain.



Important Note: Verify in Kiosk Settings that "Allow App to manage power" is **disabled**. To do this, click on **Devices, Apps & Extensions** and then select **Kiosks**. Click on the **MCAS**

app name and check to make sure the setting **Allow app to manage power** is **disabled** (slider is moved to the left and not green).

Kiosk Settings	
Allow App to Manage Power Inherited from Google default	
Enable Unified Desktop (BETA) Inherited from Google default	
Allow On-screen Keyboard Inherited from Google default	-
Enable Plug-ins Inherited from Google default	-
Set Keyboard Top Row as FN Keys Inherited from Google default	

Important Note: Students should not log in to Chromebooks using their Google accounts to take an operational test. When the Chromebooks are turned on, simply click the **Apps** link in the bottom row and select the **MCAS** app. The kiosk will open in full-screen mode.

	C
	Chromebook Setup ~
	Password →
U Shut down # Apps 😝 Browse as Guest 👁 Add Person	und Christiana geo dy enteriounet

For more information, see the following links:

∕!∖

- Use Chromebooks for Student Assessments
 Important Note: Read "Scenario 1: School sets up Chromebook™ to run as a Single App Kiosk running the exam app." Do not follow the instructions for Scenarios 2 and 3.
- <u>Manage Device Settings</u>, which provides general information for managed Chromebooks.

16. When you are ready to conduct Site Readiness for this configuration, see section IV: <u>Site</u> <u>Readiness Testing and Site Certification</u>.

B. iPadOS Application Installation

Step 1: Set up your school testing environment

Review section II: <u>Technology Setup</u> in detail.

Step 2: Download the iTester App from the Apple App Store

iTester's iPad application is a Single Instance application. Technology coordinators will select the MCAS during the initial setup of the app.

If you do not already have the iTester app on your iPad, download it from the Apple App Store following the steps below.

1. Open the App Store on the iPad.



- 2. Search for **iTester**.
- 3. When you locate the iTester app, click **Get** to download it to the iPad.



- 4. Launch the iTester app.
- 5. Choose **MCAS** from the drop-down menu and then click **Go**. You will be directed to the student sign in screen for the MCAS Student Kiosk.

9:44 AM Wed Oct 16		\$ 38% I D
	Choose your location:	
Powered by eMetric		

Note: If you select the wrong program in the **Choose your location** drop-down menu, select **Change Location** on the iTester login page.



6. When you are ready to complete Site Readiness for this configuration, see section IV: <u>Site</u> <u>Readiness Testing and Site Certification</u>.

Automatic Assessment Configuration

A feature in iPadOS called Assessment Mode (AM) (formerly known as Automatic Assessment Configuration [AAC]) works with iTester to lock down an iPad for online testing. Technology coordinators do not need to do anything to set up AM. When a student launches the iTester App and logs in to a test, and then logs in to a test session, AM will automatically prompt the user to enter single app mode.

7:23 AM Mon Oct 18	? 100% 🔲
Please wait while we atten	npt to establish a secure kiosk environment
	Confirm App Self-Lock iTester wants to start Assessment Mode. You will be unable to use other apps on iPad until iTester ends Assessment Mode. Do you want to allow this?
	No Yes

This action disables features such as auto correction, define, spell check, predictive keyboard and some keyboard shortcuts. For a complete list, visit this <u>Apple Support page</u>.

This feature helps ensure a secure test environment without requiring technology coordinators to use Mobile Device Manager Software or manually turn on guided access and change keyboard settings. AM is the preferred method of securing the iTester App and should be used in place of guided access. If guided access is on, it will override AM; therefore, guided access should be turned off to allow AM to function. No additional setup is necessary to enable AM.

C. Linux

Follow the steps below to install the kiosk on all student testing devices running Linux.

Step 1: Set up your school technology

Review section II: <u>Technology Setup</u> in detail.

Step 2: Download the MCAS Student Kiosk

- 1. Go to the <u>MCAS Portal</u> and log in with your username and password. If you need assistance logging in to the MCAS Portal, contact your school or district test coordinator.
- 2. On the portal home page, click Administration.
- 3. On the Administration home page, click **Student Kiosk for Linux**. The file will download to the "Downloads" folder.

Q Files ≡	< > Downloads	:	G	≡ × ×
⊘ Recent				
★ Starred	Q			
🔒 Home				
Documents	linux-v3-42-0-			
<u> ↓</u> Downloads	kiosk.zip			
J Music				
Pictures				
No Videos				
ත් Trash				
♀ chromebook@				
+ Other Locations				

4. Extract the installation file from the zipped package to a location on the computer.

Q. Files ≡	< > home / 1	Downloads	:	٦	i= 🖛	×
⊘ Recent						
★ Starred						
Home						
Documents	linux-v3-42-0-	linux-v3-42-0-				
业 Downloads	kiosk.zip	kiosk				
la Music						
🔄 Pictures						
N Videos						
🛅 Trash						
👳 chromebook@						
+ Other Locations						

Step 3: Install the downloaded Kiosk

Upon completion of extraction of installation file:

1. Navigate to the kiosk installer file and execute.

Q Files ≡	$<$ > / Downloads / linux-v3-42-0-mcas-production-kiosk : Ea IE \prec (x)
🔿 Recent	
★ Starred	
🛈 Home	
Documents	MCAS Installer v3.42.0
业 Downloads	
6 Music	
Pictures	
No Videos	
🗇 Trash	
👳 chromebook@	
+ Other Locations	

2. Read the Welcome page and click **Next** to continue.

		MCAS Setup	×
Setup - MCAS			
Setup - MCAS	*	Welcome to the MCAS Setup Wizard.	
Select Components			
License Agreement			

3. Use the default folder location for installation or click **Browse** and type a different installation location in the space provided. Then click **Next** to continue.

	MCAS Setup		×
Installation Folder			
Setup - MCAS	Please specify the directory where MCAS will be installed.		
Installation Folder	/home/emetric_qa/eMetric/MCAS		Browse
License Agreement			
Finished			
	< <u>B</u> ack	<u>N</u> ext >	Cancel

It is recommended that the kiosk is installed on the testing device instead of a network installation to avoid network connection issues (see section II part A, <u>Network</u> <u>Connectivity</u>).

Important: In the event the student loses internet connectivity during testing, responses will be stored to this location. Additionally, this folder must have the appropriate permissions to allow test takers to write data.

4. Read the License Agreement and check the **I accept the terms of the license agreement** check box. Click **Next** to continue.

	MCAS Setup ×				
License Agreement Please read the following license agreement. You must accept the terms contained in this agreement before continuing with the installation.					
Setup - MCAS	END-USER LICENSE AGREEMENT				
Installation Folder					
License Agreement	IMPORTANT PLEASE READ THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT CAREFULLY BEFORE CONTINUING WITH THIS PROGRAM INSTALLATION. This eMetric, LLC ("eMetric") End-User License				
	Agreement ("EULA") is a legal agreement between you (either an individual or a single entity) and eMetric, for the eMetric software product(s) identified above which may include associated software components, media, printed materials, and "molive" an element of the COCTENENT CONTENT OF THE INFORMATION OF THE ADDRESS				
	d'online" or electronic documentation ("SOFTWARE PRODUCT"). By installing, copying, or otherwise using the DFTWARE PRODUCT, you agree to be bound by the terms of this EULA. This license agreement represents the entire rement concerning the program between you and eMetric (referred to as "license"). and it supersedes any prior				
Finished	proposal, representation, or understanding between the parties. If you do not agree to the terms of this EULA, do not install or use the SOFTWARE PRODUCT. The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other				
	✓ I accept the terms of the license agreement.				
	< <u>Back</u> <u>Next</u> Cancel				

5. Click **Install**, a blue bar will be shown to show the progress as the kiosk is installed.

	MCAS Setup	×
Ready to Install		
Setup - MCAS	Setup is now ready to begin installing MCAS on your computer. Installation will use 1.31 Gf of disk space.	3
Installation Folder		
License Agreement		
Ready to Install		
Finished		
	< <u>B</u> ack Install Cance	

	MCAS Setup ×	¢
Installing MCAS		
Setup - MCAS	6%	
Installation Folder	Installing component iTester Kiosk	
License Agreement	Show Details	
Ready to Install		
Installing		
Finished		
	< <u>B</u> ack Install Cancel]

6. Click Finish to exit Setup.

	MCAS Setup	×
Completing the MCAS Wizard		
Colum MCAC	Click Finish to exit the MCAS Wizard.	
Setup - MCAS		
Installation Folder		
License Agreement		
Ready to Install		
Installing		
Finished		
		<u> </u>

7. When you are ready to complete Site Readiness for this configuration, see section IV: Site Readiness Testing and Site Certification.

D. Mac OS

Follow the steps below to install the kiosk on all student testing devices running macOS.

Step 1: Set up your school technology

Review section II: <u>Technology Setup</u> in detail.

Step 2: Download the MCAS Student Kiosk

- 1. Go to the <u>MCAS Portal</u> and log in with your username and password. If you need assistance logging in to the MCAS Portal, contact your school or district test coordinator.
- 2. On the portal home page, click Administration.

3. On the Administration home page, click **Student Kiosk for Mac**. The kiosk will download to the device.

Step 3: Install the downloaded Kiosk

Upon completion of the download process:

- 1. Navigate to the file location you specified during the File Save process.
- 2. The package will run a program to determine if the software can be installed. Click **Allow**.



3. Read the instructions and click **Continue**.



4. Read the Software License Agreement and then click **Continue** and then **Agree**.

		🥪 Install MCAS	8		
		Software License Agreement			
•	Introduction	END-USER LICENSE AGREEMENT			
•	License	IMPORTANT PLEASE READ THE TERMS AND CONDITIONS OF THIS LICENSE			
	Configuration	AGREEMENT CAREFULLY BEFORE CONTINUING WITH THIS PROGRAM INSTALLATION. This eMetric, LLC ("eMetric") End-User License Agreement ("EULA")			
	Destination Select	is a legal agreement between you (either an individual or a single entity) and eMetric, for the eMetric software product(s) identified above which may include associated			
	Installation Type	software components, media, printed materials, and "online" or electronic documentation ("SOFTWARE PRODUCT"). By installing, copying, or otherwise using			
	Installation	the SOFTWARE PRODUCT, you agree to be bound by the terms of this EULA. This license agreement represents the entire agreement concerning the program between			
	Summary	you and eMetric (referred to as "licenser"), and it supersedes any prior proposal, representation, or understanding between the parties. If you do not agree to the terms of this EULA, do not install or use the SOFTWARE PRODUCT.			
		The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other intellectual property laws and treaties. The SOFTWARE PRODUCT is licensed, not sold.			
		1. GRANT OF LICENSE The SOFTWARE PRODUCT is licensed as follows: (a) Installation and Use eMetric grants you the right to install and use copies of the SOFTWARE PRODUCT on your computer running a validly licensed copy of the operating system for which the SOFTWARE PRODUCT was designed. (b) Pacture Copies			
		Print Save Go Back Continue			

	🥪 Install MCAS	E
	Software License Agreement	
Introduction	END-USER LICENSE AGREEMENT	
License	IMPORTANT PLEASE READ THE TERMS AND CONDITIONS OF THIS LICENS	SE
To continue insta software license	alling the software you must agree to the terms of the agreement.	A") c,
Click Agree to con the Installer.	ntinue or click Disagree to cancel the installation and quit	ng s an
• Sui		ms
Read License	Disagree	ght
	1. GRANT OF LICENSE The SOFTWARE PRODUCT is licensed as follows: (a) Installation and Use (Metric grants you the right to install and use copies of the SOFTWARE PRODU your computer running a validly licensed copy of the operating system for which to SOFTWARE PRODUCT was designed. (b) Review Copies	CT on the
	Print Save Go Back Co	ntinue

5. Indicate where you would like to store student responses.

Important: In the event the student loses internet connectivity during testing, responses will be stored to this location. Additionally, this folder must have the appropriate read/write permissions to allow test takers to write data to this location.

Choose from the following two options:

• User's Home Directory:

During kiosk installation, if you choose the default option to store the stored response files in the user profile, these files will have names similar to the format below:

~/Library/Application Support/eMetric/MCAS/Storage/iTesterSync_AD849G-DA56-19F3-73K39823DJS3

• Custom location:

If you select **Save in the following directory**, you must manually enter the alternate path.

For more information, contact the MCAS Service Center at <u>mcas@cognia.org</u> or 800-737-5103.

	🥪 Install MCAS	
	Configuration	
 Introduction License Configuration Destination Select Installation Type Installation Summary 	Please select a location for stored responses: Users' Home Directory Custom Location 	
	Go Back Continu	10

6. Then click Continue.



7. Verify installation type and click **Install**. You may be required to enter your admin password.



8. When the installation is complete, click **Close**.



9. For enhanced security measures, grant the testing application access to **Desktop Folder**. To grant access follow the path below:

Click System Settings > Privacy and Security > Files and Folder > MCAS > Desktop Folder (Turn on Toggle).

•••	< Files and Folders
Q Search	Allow the applications below to access files and folders.
Sign in with your Apple ID	> 🧿 Google Chrome
Software Update Available 🚺	V deed MCAS
🛜 Wi-Fi	Desktop Folder
🛞 Bluetooth	
🛞 Network	
Notifications	
🔟 Sound	
C Focus	
🔀 Screen Time	
😥 General	
Appearance	
🔞 Accessibility	
🗟 Control Center	
💽 Siri & Spotlight	
🖤 Privacy & Security	
Desktop & Dock	
🔅 Displays	
😸 Wallpaper	
Screen Saver	
Battery	

10. If you are using a newer system running MacOS 15.0 or greater with an M2 processor chip, you will need to install Rosetta. This can be accomplished by launching the MCAS Student Kiosk for the first time.

After launching the MCAS Student Kiosk you will be prompted:

To open "MCAS," you need to install Rosetta. Do you want to install it now?

Select Install.

Note: Rosetta enables Intel-based features to run on Apple silicon Macs. Reopening applications after installation is required to start using Rosetta.

11. For MacBooks with Force Touch trackpads: disable Force Click. By disabling Force Click, the trackpad will function as normal and will only disable the secondary press features, and will not disable the trackpad itself. To disable, follow the path below:

Select System Settings > Trackpad > Point & Click > Force Click and haptic feedback (turn off toggle).



Note: This setting will only be available if the MacBook has a Force Touch trackpad.

12. When you are ready to complete Site Readiness for this configuration, see section IV: <u>Site Readiness Testing and Site Certification.</u>

E. Windows OS

Follow the steps below to install the kiosk on all student testing devices running Windows.

Step 1: Set up your school technology

Review section II: <u>Technology Setup</u> in detail.

Step 2: Download the MCAS Student Kiosk

- 1. Go to the <u>MCAS Portal</u> and log in with your username and password. If you need assistance logging in to the MCAS Portal, contact your school or district test coordinator.
- 2. On the portal home page, click **Administration**.
- 3. Click **Student Kiosk for Windows** to download the MCAS Student Kiosk to the device.

Step 3: Install the downloaded Kiosk

The MCAS Student Kiosk for Windows can be installed on the school network or on each individual student testing device. It is recommended that the kiosk is installed on each individual device to avoid network connection issues. For installing on each individual student testing device follow the steps below, or follow the steps for <u>Windows MSI Package Scripted Installation</u>, or follow the steps for <u>Windows MSI Package Installation Via Group Policy</u>.

1. Click the installation file in the **Downloads** folder on the device. The **Setup Wizard** will open. Read the instructions and then click **Next** to continue.



2. Read the End-User License Agreement and check the **I accept the terms in the License Agreement** check box. Click **Next** to continue.

MCAS Setup	_		×
End-User License Agreement Please read the following license agreement carefully		C	S
END-USER LICENSE AGREEMENT			I
IMPORTANT PLEASE READ THE TERMS AND CONDITIONS OF AGREEMENT CAREFULLY BEFORE CONTINUING WITH THIS INSTALLATION. This eMetric, LLC ("eMetric") End-User Lice ("EULA") is a legal agreement between you (either an indivi- entity) and eMetric, for the eMetric software product(s) id which may include associated software components, medi- materials, and "online" or electronic documentation ("SOF By installing, copying, or otherwise using the SOFTWARE P	F THIS LICEN PROGRAM ense Agreem vidual or a s dentified abd ia, printed FTWARE PRO PRODUCT, yo	ISE nent single ove DDUCT"). Du agree	
Print Back	Next	Can	cel

3. Use the default folder location for installation or click **Change** and type a different installation location in the space provided. Then click **Next** to continue.

MCAS Setup -		×
Destination Folder Click Next to install to the default folder or click Change to choose another.	¢	€
Install MCAS to:		
C:\Program Files (x86)\eMetric\MCAS\ Change		
Back Next	Cance	ł

Note: You can choose to install the kiosk in a shared network folder or a local folder on the student testing device. It is recommended that the kiosk is installed on the individual student testing device instead of a network installation to avoid network connection issues (see section II, part A: <u>Network Connectivity</u>).

4. Select the directory to store student responses.

Important: In the event the student loses internet connectivity during testing, responses will be stored to this location. Additionally, this folder must have the appropriate permissions to allow test takers to write data.

🔁 MCAS Setup	_		×
Response Storage Folder Click Next to use the default folder or click Change to choose another		e	Ð
 Use the User Profile directory for response storage Use a custom directory for response storage 			
Back	lext	Cano	el

Choose from the following two options, then click Next:

• Use the User Profile directory for response storage:

During kiosk installation, if you choose the default option to store the stored response files in the user profile, these files will have names like this format:

storage	× +	– 🗆 X
$\leftarrow \rightarrow \land \Box$	🖵 > … eMetric > MCAS > storage	Search storage
🕀 New ~ 🐰 🖸	(n) (a) (b) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	•••• 📑 Details
> 📥 Michael - Personal	Name	Date modified Type
	Sync_13363	10/4/2024 10:18 AM File
📃 Desktop	*	
↓ Downloads	*	
Documents	*	
1 item		

• Use a custom directory for response storage:

If you select **Save in the following directory**, you must manually enter the alternate path.

MCAS Setup	—		×
Response Storage Folder			
Click Next to use the default folder or click Change to choose another.			S
○ Use the User Profile directory for response storage			
• Use a custom directory for response storage			
Use the following folder for response storage:			
C:\Users\mbernal\AppData\Local\eMetric\MCAS\			
Change			
Back Nex	α	G	ancel

5. After verifying the storage response location, click **Install**.

T MCAS Setup	_		×
Ready to install MCAS		¢	Ð
Click Install to begin the installation. Click Back to review or c settings. Click Cancel to exit the wizard.	hange any of your in	stallation	
Back	-Install	Canc	el

6. Click **Finish** to complete the installation.

🔁 MCAS Setup	– 🗆 X
S	Completed the MCAS Setup Wizard
	Click the Finish button to exit the Setup Wizard.
	Back Finish Cancel

7. When you are ready to complete Site Readiness for this configuration, see section IV: <u>Site</u> <u>Readiness Testing and Site Certification</u>.

Windows MSI Package Scripted Installation

Network administrators can install the MCAS Student Kiosk via an installation script to be executed by an Admin account on the machine. The script can be written to run without any human interaction (quiet switch) and to install in the default directory (C:\Program Files) or any target directory of choice. Uninstalling the client can also be scripted.

Below are generic scripts that can be used for installation and uninstallation.

Script Examples

<Source> = Complete path to the MCAS Student Kiosk MSI installation file, including .msi installation file name. Example: C:\Downloads\MCAS.msi

<Target> = Complete path to the location where kiosk should be installed other than the default location (C:\Program Files). Example: C:\ MCAS\Installation_Dir

<APPDATALOCATION> = Complete path to the location for storing the cache and encrypted student responses created due to network interruptions. Example: D:\Cache.

Note: Ensure that this location is excluded from system restore software.

Installation Script

msiexec /I "<Source>" /quiet INSTALLDIR="<Target>" ITESTERAPPDATALOCATION="<APPDATALOCATION>" INSTALLLEVEL=2

Example: msiexec /I "C:\Downloads\MCAS.msi" /quiet INSTALLDIR="C:\ MCAS" ITESTERAPPDATALOCATION="D:\Cache" INSTALLLEVEL=2

Warning: If you do not specify ITESTERAPPDATALOCATION, then the Local Application Data folder located in the User Profile of the actively logged-in user will be used by default. If you do not specify INSTALLLEVEL=2, then the configuration required for setting the <APPDATALOCATION> will not be created.

Uninstallation Script

msiexec /X "<Source>" /quiet

Example: msiexec /X "C:\Downloads\MCAS.msi" /quiet

Windows MSI Package Installation Via Group Policy

Network administrators can use Microsoft Active Directory Group Policy to distribute the MCAS Student Kiosk MSI package to all client computers.

Follow the step-by-step instructions described in Microsoft's Knowledge Base article.

Note: Default installation locations will be used when using Group Policy to distribute the MCAS Student Kiosk. This option will also not allow systematically specifying a network location for caching and storing encrypted student responses created due to network interruptions. The local Application Data folder located in the User Profile of the actively logged-in user will be used by default.

Windows Network Kiosk Installation

To install the MCAS Student Kiosk on a school network:

- 1. Complete the local kiosk installation listed above on the machine that will host the application.
- 2. Configure the stored response location to network share or leave as default during installation.
- 3. On the student testing devices, create a shortcut to the application on the network. The shortcut created should point to MCAS.exe.
- 4. Ensure that users have read/write/modify access to stored response directory configured in Step 2.

IV. Site Readiness Testing and Site Certification

A. Purpose

The MCAS Portal includes a Site Readiness tool for schools and districts to assess their readiness for online testing via the MCAS Student Kiosk and to identify any potential technology-related issues before testing begins to ensure a smooth testing experience. The Site Readiness tool is used to verify that testing devices meet the minimum requirements and have been properly configured.

The Site Readiness tool includes the System Set-Up Test and the Student Interface Test.

• The **System Set-Up Test** tests bandwidth, connectivity, screen resolution, and the text-to-speech function.

• The **Student Interface Test** provides sample test questions to determine whether the device is capable of correctly displaying and navigating test content in the MCAS Student Kiosk. The Student Interface Test also allows technology coordinators to test the student tools, including the Line Reader, Answer Eliminator, Text Highlighter, and Notepad, to confirm they are functioning properly.

To administer the Site Readiness test, the technology coordinator launches the MCAS Student Kiosk on each device configuration (i.e., device type and operating system) being used for testing at that site and then uses the Site Readiness login for the assigned school to run the test. Then, the technology coordinator certifies the site (school) in the MCAS Portal to indicate to the school and district test coordinators that the site's technology is ready for testing.

Note: The Site Readiness test must be conducted using the secure MCAS Student Kiosk. The test does not need to be conducted on the browsers used for practice tests.

B. Using the Site Readiness Tool

It is crucial that the Site Readiness tool is run on **every** device type or device configuration that will be used for testing. The results for each device tested will be captured and displayed on the Site Readiness Details page within the MCAS Portal.

Note: Starting with iPadOS 13, Apple made a change with the user agent for iPadOS. Due to this change, iPads do not populate in the Site Readiness tab of the MCAS Portal. If you are an iPad school or district, we recommend running the Site Readiness tool on a few iPads to ensure they pass the System Set-Up and Student Interface tests without issues and recommend an alternative method of communicating this information to test coordinators.

After reviewing the <u>Technology Guidelines</u> and installing the MCAS Student Kiosk, follow the instructions below.

Step 1: Locate the Site Readiness credentials in the MCAS Portal

- 1. Log in to the MCAS Portal with your username and password.
- 2. On the Portal home page, click Administration.



3. The Site Readiness account information appears at the bottom of the Administration home page.

Welcome to the	MCAS Portal.	
This site provid chat by clicking	es access to MCAS test administration and reporting tasks. If y here.	ou need assistance with this site, please contact the MCAS Service Center: mcas@cognia.org (email), 800-737-5103 (phone), 888-222-1671 (TTY), or live
Technology Co	ordinators: Download and install the MCAS Student Kiosks on	to student testing devices using the links in the table below.
Chromebook	Chrome Web Store Note: The name of the app is "MCAS", but is only accessible through the direct link above.	
iPad	Apple App Store Note: The name of the app is "ITester." The first time the app is used on a student testing device, select "MCAS"	
Windows	Student Kiosk for Windows	
Mac	Student Kiosk for Mac	
Linux	Student Kiosk for Linux	
		Edit
Proctor passw	ord for Cyber Valley Sch1-001 (Cyber Valley)	
m4awwfye		Liange
Site Readiness	login for Cyber Valley Sch1-001 (Cyber Valley)	
Username: WS Password: 00-	SR-00-881888-012 881888-012	

4. Make a note of the username and password for the school, which you will use to log in to the MCAS Student Kiosk.

Step 2: Conduct Site Readiness on every device configuration

- 1. Launch the MCAS Student Kiosk on the device.
- 2. Log in to the MCAS Student Kiosk with the Site Readiness username and password provided for the school (shown above).

Important Note: Use the Site Readiness login credentials exclusively for the school only, and do not use the credentials for any other purposes. Do not use the Site Readiness credentials for any other school.

d	ese
MAS Dej and	SSACHUSETTS partment of Elementary d Secondary Education
	STUDENT SIGN IN Username WSR-00-661666-001 Password
	Sign In

3. Verify your school's name at the top of the page. Under **System Set-Up Test**, click **Check System Set-Up** to begin the test.

			Not SiteReadiness User? Exit
Hello, SiteRead	diness Use	er	
3774-42190 State Student ID	3/2/1998 Date of Birth	Gender	
Cyber Valley Sch1-001 School Name	Teacher	1 Grade	
The following tests have been sche	duled for you:		
System Set-Up Test Check System Set-Up			
Site Readiness			
Check Student Interface			

The screen resolution, host URL (mcas.cognia.org), and operating system for the device are listed at the top of the System Set-Up Test page. The System Set-Up Test consists of four parts: the Connection Capacity Test, the Connectivity Check, the Screen resolution check, and the Text-to-Speech check. The results of each test appear as soon as it is completed.

System Set-Up Test			
	Screen Resolution: 1920x1080 Host:mcas.cognia.org Operating System:window 15.0.0		
1	Connection Capacity Test Results: 913 Simultaneous Test Downloads Your download speed is 60.89 Mbps . (?) Based upon the current calculated download speed between your testing device and the data center, a maximum of 913 students may simultaneously log-in and download the test. If you plan to test more than 913 students during the same period of time, divide them into groups of no more than 913 students and stagger the groups' test log-in by 1-2 minutes.		
2	Connectivity Check passed. All connectivity checks passed.		
3	Screen resolution passed. Current screen resolution is at least 1024x768.		
4	Text-to-Speech check has begun. Test Text-to-Speech		
	Does Text-to-Speech work?		
	Yes No		

4. The **Connection Capacity Test** evaluates your site's capacity for simultaneous test downloads. It provides the current download speed between the testing device and the testing servers (data center), and, based on that speed, it provides the maximum number of students that may simultaneously log in and download a test session.

If you plan to test more students concurrently than the recommended number of simultaneous test downloads, it is recommended that you divide the students into groups no greater than the number of recommended simultaneous test downloads and stagger each group's test log in by 1–2 minutes. This will reduce the likelihood of interruption during sign in.

- 5. The **Connectivity Check** is designed to ensure the testing device has access to both the kiosk's local storage folder, where student responses will be saved if the test device loses internet connectivity, and the testing servers.
 - If the Connectivity Check fails with the following message:

"The connectivity check failed. Please check your read and write permissions to the storage folders and try again or contact Support for further assistance. Error Code: 6004 – StorageWriteFail"

This means that the MCAS Student Kiosk does not have the proper permissions for the storage folder. The kiosk requires read, write, and modify permissions on Windows and Read & Write on Mac.

• If the test fails for any reason other than "Error Code:6004 - StorageWriteFail," contact the MCAS Service Center.

- 6. The **Screen resolution test** will ensure that the testing device meets the required screen size and resolution for an optimal testing experience. If this test fails, adjust the screen resolution of the device.
- 7. The **Text-to-Speech test** will ensure that this accommodation is operating as expected for students who have this accommodation. In the Text-to-Speech field, click **Test Text-to-Speech** to play a voice sample.

4 Text-to-Speech check has begun. Test Text-to-Speech				
Does Text-to-Speech work?				
Yes	No			

- If you can hear the voice sample, click **Yes**.
- If you cannot hear the voice sample, click **No**, and fix your audio connection. You will need to verify that there is a voice package installed on your machine, that there is an audio playback device connected to the testing device (e.g., internal speakers, external speakers, headphones), the volume is not muted and is audible, and that the desired audio playback device is set as the default device.
- 8. When you are done, click **Return** to return to the Site Readiness page.

	System Set-Up Test
	Screen Resolution: 1920x1080 Host:mcas.cognia.org Operating System:window 15.0.0
1	Connection Capacity Test Results: 978 Simultaneous Test Downloads Your download speed is 65.26 Mbps. (?) Based upon the current calculated download speed between your testing device and the data center, a maximum of 978 students may simultaneously log-in and download the test. If you plan to test more than 978 students during the same period of time, divide them into groups of no more than 978 students and stagger the groups' test log-in by 1-2 minutes.
2	Connectivity Check passed. All connectivity checks passed.
3	Screen resolution passed. Current screen resolution is at least 1024x768.
4	Text-to-Speech check passed.
	Test Finished. Return
You've comp Take the Stu	leted the System Set-Up Test. Please click the Return button to go back to the main selection page. dent Interface Test in order to complete site readiness testing on this device.

- If all the system checks are successful, you are ready to begin the next Site Readiness test.
- If one or more system checks fail, adjust your configuration as needed and re-run the System Set-Up test.
- 9. When the System Set-Up test is completed, click the blue **Check Student Interface** button.

			Not SiteReadiness User? Exit
Hello, SiteReadi	iness Use	er	
3774-42190 State Student ID	3/2/1998 Date of Birth	Gender	
Cyber Valley Sch1-001 School Name	Teacher	1 Grade	
The following tests have been schedu	iled for you:		
System Set-Up Test			
Check System Set-Up			
Site Readiness			
Check Student Interface			

10. Read the instructions on the page and then click **Continue**.

Student Interface Test Check Student Interface	Directions
This is the site readiness student interface review test. Ple way a student would. Contact the MCAS Resource Center	ease interact with the screen the with any questions or concerns.
	1
Continue	
	Exit

- 11. Confirm that you can effectively respond to a few questions. Click on and try out a few student tools, such as the Notepad and Line Reader, to make sure you can use them. To activate a tool, click on the tool in the tool bar and use it in the test interface. On the constructed response question, ensure you can type in the response box.
- 12. On the last test question page, click **Finish**.
- 13. On the Test Review page, click **Turn In** to submit your test.

You have completed: 5 out of 7 question(s).					
1 answered	2 not answered	3 answered			
4 answered	5 not answered	6 answered			
7 answered					
	Return to test	Turn In			

- 14. To confirm, click **Turn In** again. You should return to the Site Readiness page where the test session is grayed out.
- 15. To exit the Site Readiness tool, click **Exit** in the top right corner of the page.

		Not Worksta	ation User
Hello, SiteRea	diness Us	er	
3771-2290 State Student ID	Date of Birth	Gender	
Cyber Falls Sch1-001 School Name	Teacher	Grade	
The following tests have been sch	eduled for you:		
System Set-Up Test Check System Set-Up			
Site Readiness			

16. To close the MCAS Student Kiosk, click **Exit** at the bottom right corner of the student sign-in page.

	dese	•
	MASSACHUSETTS Department of Elementary and Secondary Education	
	Student Sign In	
	Username Password	
	Sign In	
Copyright © 2024 eMetric LLC Carrier v3.42.0 #d55da31 #144 Shell: v3.43.0 #b443212 rel Clear Cache		Exit

If you have questions about the Site Readiness tool, contact the MCAS Service Center.

C. Site Certification

After all device configurations for your school have successfully completed Site Readiness, the technology coordinator will certify the site for testing.

- 1. Log in to the MCAS Portal with your username and password.
- 2. Click Administration.
- 3. Click Site Readiness at the top of the page.



4. On the Site Readiness page, locate the school to be certified, and then click **View Details**.

Site Readiness ir	n Cyber Valley Sch1-001			
Cyber Valley Sch1-001	(Cyber Valley)			
School 🔍 Cyber Valley Sch1-001	Number of Devices Tested 🔍	Date and Time 🔍	Certified By 🔍	View Details

- 5. On the Site Readiness Details page, verify that all the devices or device configurations for this location have successfully run the Site Readiness tool and meet the technology requirements.
- 6. Click **Certify Site Readiness** and click **Yes** to confirm in the pop-up window.

Site Readiness Details			
Cyber Falls Sch1-001 (Cyber Falls)	T		
Device Name 🔍	os 🔍	Screen Size 🔍	Date and Time 🔍
emetric-244.local	mac 14.6.0	1440×900	9/24/2024 2:36:50 PM
emetric-244.local	mac 14.6.0	1440x900	9/26/2024 5:25:38 PM
eMetric-250	window 10.0.0	1536x864	9/24/2024 1:43:05 PM
eMetric-250	window 10.0.0	1536x802	9/27/2024 7:10:36 PM
eMetrics-MacBook-Air.local	mac 13.0.0	1440×900	9/24/2024 1:47:01 PM
	Chausing 1 5 of 5		
Site Certification	Showing 1-2 of 2		
I certify that Site Readiness tests have been perform	ned on the above machines and	d any noted issues have been resol	ved.
*Date and time is in Eastern Standard Time. « Back			

The **Site Certification** section updates with the date and time when the site was certified and the username of the user who certified the site for testing.

Site Readiness in	Cyber Valley Sch1-001			
Cyber Valley Sch1-001	(Cyber Valley)			
School 🔍	Number of Devices Tested 🔍	Date and Time 🔍	Certified By 🔍	
Cyber Valley Sch1-001	1	9/25/2024 4:18:39 PM	Demo_DTC	View Details

District and school test coordinators can also view when the site was certified and who certified the site on the Site Readiness tab without having to click into the Site Readiness Details.

Site Readiness in Cyber Valley	Cyber Valley			
School 🔍	Number of Devices Tested 🔍	Date and Time 🔍	Certified By 🔍	
Cyber Valley Sch1-001	13	10/4/2024 6:02:49 PM	Demo_DTC	View Details
Cyber Valley Sch2-002	1			View Details
Cyber Valley Sch4-004	1			View Details
Cyber Valley Sch8-008	1			View Details
*Date and time is in Eastern Standar	Showing 1 - 4 of 4 d Time.			

This certification indicates to the district or school test coordinator that the technology coordinator has tested the devices at the site and ensured they are operating as expected and meet the technology requirements, acknowledging that the site is ready for testing. Once complete, technology coordinators should inform their school test coordinators.